



Submit by Email

Print Form

Lucas County Information Services Checklist for Hardware/Software/Services

Department: Juvenile Detention Center
Funding Account & Description: 1010-1120-530100
Vendor: MTBT
 State Term Contract ID 800310

Requestor: Eric Zatko
Req. Date: 10/19/16

Type of Request (check all that apply):
 Hdw SW Services/New
 Purchase Lease Subscription
 Services/Support Renewal Original Purchase Date

Description or Nature of Request and for whom this is intended: Copier for Detention Center

Hdw/SW/Service Item Descr	Quote #	Wrnty Term	Qty	Unit Cost	Support Cost	Total Cost
Ricoh Aficio MP 60025P			1	\$ 9,997.00		\$ 9,997.00
			0	\$ 0.00	\$ 0.00	\$ 0.00
			0	\$ 0.00	\$ 0.00	\$ 0.00
			0	\$ 0.00	\$ 0.00	\$ 0.00
			0	\$ 0.00	\$ 0.00	\$ 0.00
			0	\$ 0.00	\$ 0.00	\$ 0.00

Total Request \$ 9,997.00

Business Reason or Justification:
 Copier for use at the Juvenile Court Detention Center

Lucas County Information Services
Checklist for Hardware/Software/Services
Page 2

Planned Location: Other

If Other please specify: Copier

Network Connection Required? Yes No N/A

LCIS installation assistance needed? Yes No Date:

LCIS on-going support required? Yes No N/A

ITB or RFP completed? Yes No N/A

LCIS Management review completed? Yes No Exclusion

DP Board Approved? Yes No State Term/Sole Source Provider Exclusion

Date of Approval: 10/20/16

Comments:

Prepared by Karen Schnitkey KS 10/19/16
Reviewed by Jeremy Burnat JB 10/20/16
Approved by Jason Gears JG 10/20/16



**Proposal prepared for Lucas County Juvenile Court-Detention Center
on Tuesday, September 27, 2016**

Equipment Detail

Ricoh Aficio MP 6002SP - 60 page per minute b&w system

Mainframe includes 150 sheet color single pass duplexing document feeder, 1.5GB RAM, 250GB HDD, DOSS, print/scan unit, Ethernet, USB 2.0 interface, scan or print from USB or SD card, PDF direct print, and HDD encryption.

Accessories:

- SR4060 Stapling Finisher

Optional

- Fax
- Hole Punch

Installation & Training

Installation Charges (Includes Installed Accessories)

System Training

Maintenance Terms

Color/Impression	Term	Price per Impression
Black & White	Monthly	\$0.0039

MT Business Technologies, Inc.'s exclusive Quality Standard Maintenance Program includes all service, all parts and all supplies (except paper and staples) that are needed to make impressions. You never pay extra for toner or developer. You will also receive our exclusive "Performance Guarantee".

Financing Terms

Item	Price
Purchase Price	\$9,246.00
Fax Option Add:	\$476.00
Hole Punch Add:	\$275.00

*Non-State Contract Pricing

Please contact me with any questions.



**Proposal prepared for Lucas County Juvenile Court-Detention Center
on Tuesday, September 27, 2016**

State Contract #800310

Equipment Detail

Ricoh Aficio MP 6002SP - 60 page per minute b&w system

Mainframe includes 150 sheet color single pass duplexing document feeder, 1.5GB RAM, 250GB HDD, DOSS, print/scan unit, Ethernet, USB 2.0 interface, scan or print from USB or SD card, PDF direct print, and HDD encryption.

Accessories:

- SR4060 Stapling Finisher

Optional

- Fax
- Hole Punch

Installation & Training

**Installation Charges (Includes Installed Accessories)
System Training**

Maintenance Terms

Service Agreement	Term	Cost Per Impression
Black & White	Monthly	\$0.0039

MT Business Technologies, Inc.'s exclusive Quality Standard Maintenance Program includes all service, all parts and all supplies (except paper and staples) that are needed to make impressions. You never pay extra for toner or developer. You will also receive our exclusive "Performance Guarantee".

Financing Terms

Option	Amount
Purchase Price	\$10,928
Fax Option Add:	\$477.00
Hole Punch Add:	\$466.00



MT Business Technologies' Service Policy

- MT Business Technologies guarantees replacement parts for seven years.
- MT Business Technologies guarantees we will respond to an emergency call with a factory trained technician within 4 hours of the call being placed.
- MT Business Technologies will provide you a loaner system in the event that your system cannot be repaired at your location in a reasonable time.
- MT Business Technologies guarantees a like for like replacement system for you at no charge if we cannot maintain your system to the manufactures specification.
- Incented Technical Specialists will fix the problem right the first time and eliminate call back on the same problem or a call back on a worn part right after a service call.
- Includes all service, all parts and all supplies (except paper and staples) that are needed to make impressions. You never pay extra for toner or developer.
-


Once again, thank you for the opportunity to present this proposal. I look forward to addressing your questions and continuing a long-lasting business relationship between the county and MT.

RICOH
imagine. change.

**Ricoh Aficio
MP 6002/MP 7502/
MP 9002**

Multifunction B&W

✓ Copier ✓ Printer ✓ Facsimile ✓ Scanner



MP 6002
60
ppm monochrome

MP 7502
75
ppm monochrome

MP 9002
90
ppm monochrome

Specifications

Memory (RAM)	1.5 GB
HDD	250 GB
First Copy Time	MP 6002: 3.9 seconds MP 7502: 3.2 seconds MP 9002: 2.9 seconds
Recovery Time to Print Ready Mode	MP 6002/MP 7502: 30 seconds MP 9002: 300 seconds
Copy Speed	60/75/90 copies/minute multiple sets (Letter LEP)
Original Size	Up to 11" x 17"
Copy Size	5.5" x 8.5" - 11" x 17"
Copy Resolution	True 600 x 600 dpi
Grayscale	256 levels
Zoom	25% - 400% in 1% increments
Paper Capacity	Standard: Tray 1: 1,550 sheets x 2 (tandem) = 3,100 (Letter); Trays 2 & 3: 550 sheets each (user adjustable) Bypass: 100 sheets Total Standard/Max: 4,300/8,300 sheets
Paper Weight	Trays 1 - 2: 52 - 169 g/m ² (14 lb. Bond - 45 lb. Bond) Tray 3: 52 - 216 g/m ² (14 lb. Bond - 80 lb. Cover)
Power Requirements	120V/60Hz/20A (Requires dedicated 20A outlet) MP 9002: 208-220V/60Hz/20A (Requires dedicated 20A outlet)
Typical Electricity Consumption (TEC)	MP 6002: SP version: 6.02 kWh MP 7502: SP version: 6.83 kWh MP 9002: SP version: 14.07 kWh
Dimensions (WxDxH)	27.2" x 31.5" x 46.1" (690 x 799 x 1171 mm)
Weight	471.6 lbs. (214 kg)

System Accessories

Automatic Document Feeder (Standard)	
Original Size	5.5" x 8.5" - 11" x 17"
Paper Weight	Simplex: 11 lb. - 34 lb. Bond (40 - 128 g/m ²) Duplex: 14 lb. - 34 lb. Bond (40 - 128 g/m ²)
Capacity	150 sheets (based on 20 lb. Bond - 75 g/m ²)

Options

RT4010 Large-Capacity Tray (LCT)	
Paper Size	8.5" x 11"/A4 (LEF)
Paper Weight	14 - 34 lb. Bond (52 - 128 g/m ²)
Paper Capacity	4,000 sheets (20 lb. Bond - 75 g/m ²)
Dimensions (WxDxH)	12.36" x 18.03" x 25.94" (314 x 458 x 659 mm)
8.5" x 14" Paper Size Tray Type 9002	
Enables legal-size (8.5" x 14") paper to be fed through LCT.	
Paper Size	8.5" x 14"/B4, 8.5" x 11"/A4 SEF
Paper Capacity	2,500 sheets (20 lb. Bond - 75 g/m ²)
CS4000 9-Bin Mailbox	
Compatible with SR4060 and SR4070 Finishers.	
Number of Bins	9
Stack Capacity	100 sheets/bin (20 lb. Bond - 75 g/m ²)
Paper Size	5.5" x 8.5" - 11" x 17"
Copy Tray Type 9002	
Paper Capacity	500 sheets (8.5" x 11", 8.5" x 15"), 250 sheets (5.5" x 8.5", 11" x 17")
11" x 17" Tray Type 9001	
Enables 8.5" x 11" - 11" x 17" paper to be fed from Tray 1.	
Paper Size	11" x 17" SEF, 8.5" x 14" SEF, 8.5" x 11"
Paper Capacity	1,000 sheets
Cover Interposer Tray Type C14000	
Compatible with all three finishers.	
Paper Size	5.5" x 8.5" - 11" x 17"
Paper Weight	17 lb. Bond - 110 lb. Index (64 - 216 g/m ²)
Paper Capacity	200 sheets (20 lb. Bond - 75 g/m ²)
FD4000 Multi-Folding Unit	
Compatible with SR4060 and SR4070 only.	
Folding Type	
Single Sheet Mode	Z-Fold, Half-Fold, Letter Fold-in, Letter Fold-out, Double Parallel, Gate-Fold
Multiple Sheets Mode	Half-Fold, Letter Fold-in, Letter Fold-out, Up to 3 sheets
Paper Size	
Single Sheet Mode	Z-Folding: 8.5" x 11" - 11" x 17" Half-Folding: 8.5" x 11" - 11" x 17" Letter Folding: 8.5" x 11" - 11" x 17" Double Parallel/Gate-Folding: 8.5" x 11"
Multiple Sheets Mode	Half-Folding: 8.5" x 11" - 11" x 17" Letter Folding: 8.5" x 11"

SR4070 2,000-Sheet Saddle-Stitch Finisher with 50-Sheet Stapler

Proof Tray	
Paper Size	5.5" x 8.5" - 11" x 17" (A5-A3) SEF
Paper Weight	14 lb. Bond - 90 lb. Index (52 - 128 g/m ²)
Stack Capacity	250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) 30 sheets (Z-Fold/8.5" x 14" or larger) 20 sheets (Z-Fold/8.5" x 11" or smaller)

Shift Tray	
Paper Size	5.5" x 8.5" - 11" x 17" (SEF)
Paper Weight	14 lb. Bond - 80 lb. Cover (52 - 216 g/m ²)
Stack Capacity	2,000 sheets (8.5" x 11" LEF) 1,000 sheets (8.5" x 11" SEF) 8.5" x 14" SEF, 11" x 17" SEF 100 sheets (5.5" x 8.5" SEF) 30 sheets (Z-Fold/8.5" x 14" or larger) 20 sheets (Z-Fold/8.5" x 11" or smaller)

Staple Capacity	
Same Paper Size	50 sheets (8.5" x 11" or smaller) 30 sheets (8.5" x 14" or larger) 30 sheets (8.5" x 11", 11" x 17")
Mixed Paper Size	30 sheets (8.5" x 11", 11" x 17")
Z-Fold Paper Only Saddle-Stitch	
5 sheets	15 sheets (8.5" x 11" SEF, 8.5" x 14" SEF, 11" x 17" SEF)

Staple Position	
Dimensions (WxDxH)	Top, Bottom, 2 Staples, Top Slant Booklet 25.9" x 24.1" x 37.8" (657 x 613 x 960mm)

Punch Unit Type 3260	
(For use on SR4060/4070 finishers)	
Hole Positions	2 or 3 holes
Paper Size	5.5" x 8.5" - 11" x 17"
Paper Weight	14 lb. Bond - 90 lb. Index (52 - 163 g/m ²)

SR4060 3,000-Sheet Finisher with 100-Sheet Stapler	
Proof Tray	
Paper Size	5.5" x 8.5" - 11" x 17" (A5-A3) SEF
Paper Weight	14 lb. Bond - 80 lb. Cover (52 - 216 g/m ²)
Stack Capacity	500 sheets (8.5" x 11" or smaller) 250 sheets (8.5" x 14" or larger) 30 sheets (Z-Fold)

Shift Tray	
Paper Size	5.5" x 8.5" - 11" x 17" (A5-A3) SEF
Paper Weight	14 lb. Bond - 110 lb. Index (52 - 216 g/m ²)
Stack Capacity	3,000 sheets (8.5" x 11" LEF) 1,500 sheets (8.5" x 11" SEF) 8.5" x 14" SEF, 11" x 17" SEF 500 sheets (5.5" x 8.5" LEF) 100 sheets (8.5" x 8.5" SEF) 30 sheets (Z-Fold)

Staple Capacity	
Same Paper Size	100 sheets (8.5" x 11") 50 sheets (8.5" x 14", 11" x 17") 50 sheets (8.5" x 11" LEF, 11" x 17" SEF)
Mixed Paper Size	Only 10 sheets
Z-Fold Paper	
Staple Positions	Top, Top Slant, Bottom, 2 Staples
Dimensions (WxDxH)	31.5" x 28.7" x 38.6" (800 x 730 x 980mm)
Punch Unit Type 1076	
Hole Positions	2 or 3 holes
Paper Size	5.5" x 8.5" - 11" x 17"
Paper Weight	14 lb. Bond - 90 lb. Index (52 - 162 g/m ²)

SR4060 3,000-Sheet Finisher with 50-Sheet Stapler	
Proof Tray	
Paper Size	5.5" x 8.5" - 11" x 17" SEF
Paper Weight	14 lb. Bond - 90 lb. Index (52-163 g/m ²)
Stack Capacity	250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger)

Shift Tray	
Paper Size	5.5" x 8.5" - 11" x 17" SEF
Paper Weight	14 lb. Bond - 80 lb. Cover (52 - 216 g/m ²)
Stack Capacity	3,000 sheets (8.5" x 11" LEF) 1,500 sheets (8.5" x 11" SEF) 8.5" x 14" SEF, 11" x 17" SEF 100 sheets (5.5" x 8.5" SEF)

Staple Capacity	
Same Paper Size	50 sheets (8.5" x 11" or smaller) 30 sheets (8.5" x 14" or larger) 30 sheets (8.5" x 11" LEF, 11" x 17" SEF)
Mixed Paper Size	30 sheets (8.5" x 11", 11" x 17")
Staple Positions	
Dimensions (WxDxH)	Top, Bottom, 2 Staples, Top Slant 25.9" x 24.1" x 37.8" (657 x 613 x 960mm)

GBC StreamPunch PRO	
Paper Size	8.5" x 11" LEF
Paper Weight	20 lb. Bond - 110 lb. Index (75 - 216 g/m ²)
Die Sets	CombBind®, Twin Loop Wire (2- or 3-), ColorCoil®, VeloBind®, Three-Ring, ProClick®

BK5010a Production Booklet Maker	
Paper Size	8.5" x 11" - 11" x 17"
Paper Weight	16 lb. Bond - 110 lb. Index (60 - 216 g/m ²)

Print Controller Specifications

Print Speed	MP 6002: 60 ppm MP 7502: 75 ppm MP 9002: 90 ppm
CPU	Intel Celeron M 1.0 GHz
Host Interface	Standard: 10Base-T Ethernet/100Base-TX Ethernet, USB 2.0, SD Card Interface Optional: IEEE 1284 (Parallel), IEEE 802.11a/b/g (Wireless LAN), Gigabit Ethernet
Network Protocol	TCP/IP (IPv4/IPv6), IPX/SPX
Requires Network Option	
Memory Capacity	1.5 GB
PDL	Standard: PCL5e, PCL6 Optional: Adobe PostScript 3®
Print Resolution	PCL5e: 300/600 dpi PCL6: 600/1200 dpi PS 3: 300/600/1200 dpi PCL5e/PCL6 /PS3
Drivers	

Scanner Specifications

Scan Speed	B/W 200 dpi (LT): 88 ipm (Simplex)/ 176 ipm (Duplex) B/W 300 dpi (LT): 88 ipm (Simplex)/ 176 ipm (Duplex) Color 200 dpi (LT): 88 ipm (Simplex)/ 176 ipm (Duplex) Color 300 dpi (LT): 88 ipm (Simplex)/ 120 ipm (Duplex) 100 dpi - 600 dpi (100 - 1200 dpi with TWAIN)
Output Format	Single Page: TIFF/JPEG, PDF, High Compression PDF, Encrypted PDF, PDF/A Multi Page: TIFF, PDF, High Compression PDF, Encrypted PDF, PDF/A Standard: 10Base-T Ethernet/ 100Base-TX Ethernet Optional: IEEE 802.11a/b/g, Gigabit Ethernet
Interface Support	Network TWAIN Driver and WIA Driver Yes (up to 500 addresses per send) Yes (Version 3)
Drivers	SMTP/POP before SMTP
Scan-to-Email	Yes (up to 50 folders per job)
LDAP Support	Yes (Version 3)
Max Stored Destinations	2,000
Authentication	SMTP/POP before SMTP
Scan-to-Folder	Yes (up to 50 folders per job)
Protocol Support	SMB, FTP, NCP (requires network option)
Scan-to-Media	USB/SD Card
*Download driver from website.	

Facsimile Specifications (Optional)

Type	ITU-T (CCIT) G3, Additional G3 (Optional)
Circuit	PSTN, PBX
Resolution	200 x 100 dpi (Standard Mode); 200 x 200 dpi (Detail Mode); 200 x 400 dpi (Fine Mode); 400 x 400 dpi (Super Fine Mode; available with optional SAF memory)
Modem Speed	33.6 Kbps with auto fallback
Compression Method	MH, MR, MMR, JBIG
G3 Transmission Speed	Approximately 2 seconds/page (with JBIG); Approximately 3 seconds/page (with MMR)
Scan Speed	0.70 seconds/page (Standard/Detail/Super Fine Mode; LTR SEF)
Auto Dialing	2,000 Quick Dials, 100 Group Dials (500 locations each)
SAF Memory Capacity	Standard: 4 MB (Approximately 320 pages); Maximum: 28 MB (approximately 2,240 pages) with memory option
Additional Modes	Internet Fax by e-mail (T.37), IP Fax (T.38), LAN Fax, Fax Forward to E-mail/Folder, LDAP support
Options	G3 Interface Unit Type 9002 (provides one additional G3 line; up to two lines may be added for a maximum of three lines); Memory Unit Type B (32 MB for fax option), Fax Connection Unit Type E

Accessories

Gigabit Ethernet Type B, IEEE802.11a/g Interface Unit Type J, PostScript3 Unit Type 9002, SD Card for NetWare Printing Type L, Browser Unit Type J, Fax Connection Unit Type E, File Format Converter Type E, 32MB Memory Unit Type B, Copy Data Security Unit Type F
For maximum performance and yield, we recommend using genuine Ricoh parts and supplies



www.ricoh-usa.com

Ricoh Americas Corporation, 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH
RICOH and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. ©2012 Ricoh Americas Corporation. All rights reserved. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranty about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.



Proposal for

**Lucas County Juvenile Court
Detention Center**

Prepared on September 27, 2016

